



# **Packaging Information**


## • Reel Dimension



Туре	A(mm)	B(mm)	C(mm)	D(mm)
7"x8mm	8.4±1.0	50 min.	13±0.8	178±2

#### • Tape Dimension






Ao(mm)	Bo(mm)	Ko(mm)	P(mm)	t(mm)
2.0±0.1	2.5±0.1	1.20±0.1	4.0±0.1	0.22±0.05

## • Packaging Quantity

Size	Reel	
JNR 201610R	2000	

## • Tearing Off Force

The force for tearing off cover tape is 10 to 100 grams in the arrow direction under the following conditions



Room Temp. (°C)	Room Humidity (%)	Room atm (hPa)	Tearing Speed mm/min
5~35	45~85	860~1060	300

#### **Application Notice**

Storage Conditions(component level)

To maintain the solderability of terminal electrodes:

- 1. Products meet IPC/JEDEC J-STD-020D standard-MSL, level 1.
- 2. Temperature and humidity conditions: Less than 40°C and 60% RH.
- 3. Recommended products should be used within 12 months form the time of delivery.
- 4. The packaging material should be kept where no chlorine or sulfur exists in the air.
- Transportation
  - 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
  - 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
  - 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.