



Packaging Information


• Reel Dimension



| Туре | A(mm) | B(mm) | C(mm) | D(mm) |
|--------|---------|---------|--------|-------|
| 7"x8mm | 8.4±1.0 | 50 min. | 13±0.8 | 178±2 |

• Tape Dimension






| Ao(mm) | Bo(mm) | Ko(mm) | P(mm) | t(mm) |
|----------|----------|----------|----------|-----------|
| 3.2±0.05 | 3.2±0.05 | 1.40±0.2 | 4.0±0.05 | 0.23±0.05 |

• Packaging Quantity

| Size | Reel | |
|-----------|------|--|
| JNR 3012P | 2000 | |

• Tearing Off Force



The force for tearing off cover tape is 10 to 100 grams in the arrow direction under the following conditions

| Room Temp. (°C) | Room Humidity (%) | Room atm (hPa) | Tearing Speed mm/min |
|--------------------|-------------------|-------------------|----------------------|
| 5~35 | 45~85 | 860~1060 | 300 |

Application Notice

Storage Conditions(component level)

To maintain the solderability of terminal electrodes:

- 1. Products meet IPC/JEDEC J-STD-020D standard-MSL, level 1.
- 2. Temperature and humidity conditions: Less than 40°C and 60% RH.
- 3. Recommended products should be used within 12 months form the time of delivery.
- 4. The packaging material should be kept where no chlorine or sulfur exists in the air.
- Transportation
 - 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
 - 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
 - 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.