

Packaging Information


• Reel Dimension





Type	A(mm)	B(mm)	C(mm)	D(mm)
13"x16mm	16.0±0.5	100.0±2.0	13.5±0.5	330

• Tape Dimension




W(mm)	Ao(mm)	Bo(mm)	Ko(mm)	P0(mm)	P2(mm)	F(mm)	E(mm)	P(mm)	t(mm)
16.00	6.3	7.50	3.8	4.0	2.0	7.5	1.75	12.0	0.35
+0.3/-0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.05

• Packaging Quantity

Size	Reel	
JSCM 0706V	1500	

• Tearing Off Force

The force for tearing off cover tape is 15 to 80 grams in the arrow direction under the following conditions



Room Temp.	Room Humidity	Room atm	Tearing Speed
(℃)	(%)	(hPa)	mm/min
5~35	45~85	860~1060	300

Application Notice

Storage Conditions(component level)

To maintain the solderability of terminal electrodes:

- 1. Products meet IPC/JEDEC J-STD-020E standard-MSL, level 1.
- 3. Recommended products should be used within 12 months form the time of delivery.
- 4. The packaging material should be kept where no chlorine or sulfur exists in the air.
- Transportation
 - 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
 - 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
 - 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.